

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

This Page Blank (uspto)

700842



(12) **EUROPEAN PATENT SPECIFICATION**

(45) Date of publication and mention
of the grant of the patent:
09.06.1999 Bulletin 1999/23

(51) Int Cl.⁶ **G06F 3/033**

(21) Application number: **94300446.5**

(22) Date of filing: **20.01.1994**

(54) **Method and apparatus for browsing information in a computer database**

Verfahren und Gerät zum Informationsanschauen in einer Rechnerdatenbank

Méthode et appareil pour regarder des informations dans une base de données d'ordinateur

(84) Designated Contracting States:
DE FR GB NL

(30) Priority: **26.01.1993 US 9032**

(43) Date of publication of application:
03.08.1994 Bulletin 1994/31

(73) Proprietor: **SUN MICROSYSTEMS, INC.**
Mountain View, CA 94043 (US)

(72) Inventors:

- Mullet, Kevin
Mountain View, California 94043 (US)
- Sano, Darrell
Oakland, California 94602 (US)

(74) Representative: **Wombwell, Francis**
Potts, Kerr & Co.
15, Hamilton Square
Birkenhead Merseyside L41 6BR (GB)

(56) References cited:
GB-A- 1 359 299

- **ADVANCES IN INSTRUMENTATION AND CONTROL** vol. 47, no. 2, 1992, RESEARCH TRIANGLE PARK US pages 659 - 700 XP328861
- **OTTINO C. 'USER INTERFACE IN THE 1990's'**
- **COMPUTER** vol. 19, no. 6, June 1986, LONG BEACH US pages 62 - 71 LARSON J. A. ET AL 'A Visual Approach to Browsing In a Database Environment'

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

EP 0 609 030 B1

Description

BACKGROUND OF THE INVENTION**1. Field of the Invention:**

[0001] This invention relates to the field of graphical user interfaces for computer systems. More particularly, to a method and apparatus for providing an intuitive way for an operator to browse through information stored in a computer database.

2. Art Background:

[0002] Historically, humans have interfaced with computers through a system of discrete commands which typically comprise a combination of both text and mathematical symbolic characters. Examples of such systems are numerous and include the programming languages of FORTRAN, ALGOL, BASIC, etc., which transform an operator's written program into machine executable "object" code and the command shells of UNIX and MS-DOS which interact with the operator using a set of typed commands. However, the ease with which an operator becomes proficient in programming or interacting with a computer-based system is generally a function of how close the system models the logical thought of the operator himself. If the operator is able to enter commands in the order in which he would find most logically appropriate, rather than having to transpose his desired command into the code of a programming language, greater operator efficiency in using the system is achieved.

[0003] A number of systems which have been developed to minimize the learning or acclimation period which an operator must go through to become proficient in the interaction with the computer system are referred to as "object oriented systems". A common object oriented interface approach utilizes multiple "windows" displayed on a cathode ray tube (CRT) in which combinations of text and graphics are used to convey information. Each window may take the form of an object such as a file folder, different operating environment, pages or layered bit maps to provide a separate display of video information in independent screen regions. (See, for example, Robson, "Object Oriented Software Systems", Byte, August, 1981; and U.S. Patent Nos. 4,414,628; 4,533,910; 4,450,442; 4,555,775 and 4,622,545, and L. Tesler, "The Small Talk Environment", Byte, August, 1981, Volume 6, No. 8.)

[0004] The use of modern computer systems incorporating object oriented window environments may be applied to browse through large databases. For example, the information in a database can be placed into object form and displayed on a graphical screen. An operator could then browse through the database by selecting the objects displayed on the screen.

[0005] In order to efficiently browse through the infor-

mation displayed on the screen, the operator should be provided with browsing tools which are easy to use. The present invention addresses this need by providing an intuitive browsing tool for browsing through information displayed on graphical screen.

SUMMARY OF THE INVENTION

[0006] The present invention as defined by the appended claims provides a useful method and apparatus for browsing through computer databases using a computer system with a graphical user interface. The information to be browsed through is displayed on a display screen. A browsing tool which resembles a magnifying glass is displayed on the display screen such that it appears on top of the information. The browsing tool has a viewing lens with targeting crosshair and a magnifying reticle. When an operator moves the browsing tool across the display screen, the browsing tool displays the information in the viewing area in normal form. When the browsing tool remains stationary for a predetermined amount of time, the information within the viewing lens of the browsing tool is modified depending on the current mode of the browsing tool. When the browsing tool is in a magnification mode, the information within the "magnifying" reticle is enhanced such that it fills the entire viewing lens of the browsing tool. When the browsing tool is in a hierarchical browsing mode, the next lower level of the hierarchy is displayed within the viewing lens of the browsing tool. When the browsing tool is in a data filtering mode, the information is displayed according to a preset filtering rule.

BRIEF DESCRIPTION OF THE DRAWINGS

[0007] The objects, features, and advantages of the present invention will be apparent to one skilled in the art in view of the following detailed description in which:

[0008] FIGURE 1 illustrates a typical computer system which can use the browsing tool of the present invention.

[0009] FIGURE 2a illustrates the browsing tool of the present invention.

[0010] FIGURE 2b illustrates the browsing tool of the present invention being used to enhance the information in magnifying.

[0011] FIGURE 2c illustrates the browsing tool of the present invention with the magnification adjuster adjusted to increase the level of enhancement.

[0012] FIGURE 2d illustrates the browsing tool of the present invention being used to enhance the information in greater detail than in Figure 2b.

[0013] FIGURE 3a illustrates the browsing tool of the present invention on a map of the San Francisco bay area.

[0014] FIGURE 3b illustrates the browsing tool of the present invention on a map of the San Francisco bay area with the reticle focused on downtown San Francis-

co.

[0015] FIGURE 3c illustrates the browsing tool of the present invention on a map of the San Francisco bay area with the viewing lens enhancing part of downtown San Francisco.

[0016] FIGURE 3d illustrates the browsing tool of the present invention on a map of downtown San Francisco with the reticle focused on the intersection of Market Street and Montgomery Street.

[0017] FIGURE 3e illustrates the browsing tool of the present invention on a map of downtown San Francisco with the area around the intersection of Market Street and Montgomery Street displayed at a higher resolution.

[0018] FIGURE 4a illustrates a typical written outline.

[0019] FIGURE 4b illustrates the browsing tool of the present invention on the written outline of Figure 4a with the viewing area enhanced to reveal outline subtopics.

[0020] FIGURE 5a illustrates a simple state diagram.

[0021] FIGURE 5b illustrates the browsing tool of the present invention on a state in the state diagram of Figure 5a with the viewing area enhanced to reveal sub-states.

[0022] FIGURE 6a illustrates a simple corporate organizational chart.

[0023] FIGURE 6b illustrates the browsing tool of the present invention on the manufacturing department of the corporate organizational chart in Figure 6a with the viewing area enhanced to reveal a department organizational chart revealing the members of the manufacturing department.

[0024] FIGURE 7 illustrates the browsing tool of the present invention on a map of the Fisherman's Wharf district of San Francisco where the public transportation routes are revealed.

[0025] FIGURE 8a illustrates a simple telephone system trunk line network.

[0026] FIGURE 8b illustrates the browsing tool of the present invention revealing the smaller lines and smaller switching stations connected to the simple telephone system trunk line network.

NOTATION AND NOMENCLATURE

[0027] The detailed descriptions which follow are presented largely in terms of algorithms and symbolic representations of operations on data bits within a computer memory. These algorithmic descriptions and representations are the means used by those skilled in the data processing arts to most effectively convey the substance of their work to others skilled in the art.

[0028] An algorithm is here, and generally, conceived to be a self-consistent sequence of steps leading to a desired result. These steps are those requiring physical manipulations of physical quantities. Usually, though not necessarily, these quantities take the form of electrical or magnetic signals capable of being stored, transferred, combined, compared, and otherwise manipulated. It proves convenient at times, principally for reasons

of common usage, to refer to these signals as bits, values, elements, symbols, characters, terms, numbers, or the like. It should be borne in mind, however, that all of these and similar terms are to be associated with the appropriate physical quantities and are merely convenient labels applied to these quantities.

[0029] Further, the manipulations performed are often referred to in terms, such as adding or comparing, which are commonly associated with mental operations performed by a human operator. No such capability of a human operator is necessary, or desirable in most cases, in any of the operations described herein which form part of the present invention; the operations are machine operations. Useful machines for performing the operations of the present invention include general purpose digital computers or other similar devices. In all cases there should be borne in mind the distinction between the method operations in operating a computer and the method of computation itself. The present invention relates to method steps for operating a computer in processing electrical or other (e.g., mechanical, chemical) physical signals to generate other desired physical signals.

[0030] The present invention also relates to apparatus for performing these operations. This apparatus may be specially constructed for the required purposes or it may comprise a general purpose computer as selectively activated or reconfigured by a computer program stored in the computer. The algorithms presented herein are not inherently related to a particular computer or other apparatus. In particular, various general purpose machines may be used with programs written in accordance with the teachings herein, or it may prove more convenient to construct more specialized apparatus to perform the required method steps. The required structure for a variety of these machines will appear from the description given below.

DETAILED DESCRIPTION OF THE INVENTION

[0031] A browsing tool for browsing information stored in a computer database is disclosed. In the following description, for purposes of explanation, specific nomenclature such as icons, displays, cursors, reticle, etc. is set forth to provide a thorough understanding of the present invention. However, it will be apparent to one skilled in the art that these specific details are not required in order to practice the present invention. In other instances, well known circuits and devices are shown in block diagram form in order not to obscure the present invention unnecessarily.

[0032] Figure 1 illustrates a typical computer system which can use the browsing tool of the present invention. The computer system consists of a central processing unit 20, a graphical display screen 27, input devices 23 and 25, and data storage devices 22, 24, 26, and 28. A cursor 21 is rendered on the display screen 27. The cursor 21 is used by an operator to select and position ob-

jects on the display screen 27. The operator positions the cursor 21 around the display screen 27 using a cursor control device 25. The data storage devices provide information to the central processing unit 20.

[0033] Figure 2a illustrates the browsing tool 10 of the present invention. The browsing tool 10 has a viewing lens 15 which is used for viewing information presented on the display screen. The viewing lens 15 is adjustable such that an operator can create a larger browsing tool 10. Within the viewing lens 15 is a crosshair 11. Crosshair 11 is used for "targeting" objects within the viewing lens 15. Also within the viewing lens 15 is a "magnifying" reticle 13. The magnifying reticle 13 is used to mark an area within viewing lens 15 which will be enhanced by the browsing tool 10 when the browsing tool 10 is in the magnification mode.

[0034] The viewing lens 15 has a slightly translucent tint which makes the information within the viewing lens 15 appear slightly hazy. By making the viewing lens 15 slightly translucent the metaphor of a magnifying lens is reinforced in the mind of an operator. Furthermore, the translucent tint of the viewing lens 15 increases the visual prominence of the crosshair 11 and the magnifying reticle 13 by providing a sharp contrast between these two elements and the information within the viewing lens 15.

[0035] The browsing tool 10 is rendered on the graphic display screen 27 such that it appears over the database information to be browsed through. An operator selectively positions the browsing tool 10 on the display screen 27 by moving the cursor 21 using the cursor control device 25. While the operator moves the browsing tool 10 across the display screen 27, the information within the viewing area 15 is not affected. When the operator ceases moving the browsing tool 10 and the browsing tool 10 remains stationary for a predetermined amount of time, the information within the viewing area 15 is enhanced depending upon which mode the browsing tool 10 is in.

[0036] The browsing tool 10 can be used to browse through computer database information using three different modes: a "magnification" mode, a hierarchical browsing mode, and a data filtering mode. When in the magnification mode, the browsing tool 10 enhances the information within the magnifying reticle 13 such that the information is presented in greater detail. When browsing tool 10 is in the hierarchical browsing mode, the browsing tool 10 reveals the next lower hierarchical level of information within the viewing area 15. When in the data filtering mode the browsing tool 10 illustrates the information within the viewing area 15 as interpreted by a preset data filtering rule. Each browsing mode will be explained in detail.

Magnification Mode

[0037] The magnification mode of the browsing tool 10 is used to provide a more detailed view of the infor-

mation displayed graphically on the display screen. When the browsing tool 10 is in the magnification mode, the browsing tool 10 enhances the information located within the magnifying reticle 13 such that the information fills the viewing area 15 of the browsing tool 10. The enhanced information is not simply enlarged, more detailed information not previously displayed becomes visible.

[0038] Referring to Figure 2a, the browsing tool 10 is illustrated with a magnification adjustment slider 17 and a toggle switch 19. The magnification adjustment slider 17 is set by an operator using the cursor 21 on the display. The magnification adjustment slider 17 is adjusted to set the scale of the magnification. When the magnification adjustment slider 17 is adjusted by an operator, the magnifying reticle 13 continuously changes in size to reflect the area which will be enhanced. The smaller the magnifying reticle 13, the greater the enhancement will be. In some applications the database information can only be presented on the screen in a finite number of discrete "resolutions". In such applications the magnifying reticle 13 correspondingly changes size in discrete steps.

[0039] Figures 2a, 2b, 2c, and 2d provide a simple example of the magnifying reticle 13 and the magnification adjustment slider 17. For example, referring to Figure 2a, the magnification adjustment slider 17 has been set to a medium setting. The magnifying reticle 13 in Figure 2a is sized to include all of the four center squares and most of the area of the surrounding squares. When the browsing tool 10 enhances the information within the magnifying reticle 13, as illustrated in Figure 2b, the four center squares and most of the area of the surrounding squares are enhanced such that the four center squares and the surrounding area fill the entire viewing lens 15 area.

[0040] Figures 2c and 2d illustrate the browsing tool 10 with the enhancement scale increased. Referring to Figure 2c, the browsing tool 10 is illustrated with the magnification adjustment slider 17 adjusted for greater enhancement. The magnifying reticle 13 is correspondingly smaller. The magnifying reticle 13 now contains only most of the four center squares. Figure 2d illustrates the how the browsing tool 10 of Figure 2c appears when the browsing tool 10 enhances the information within the magnifying reticle 13. The viewing area 15 in Figure 2d contains only the four center squares. This is an enhanced version of the area within the magnifying reticle 13 in Figure 2c.

[0041] Referring to Figure 3a, the browsing tool 10 is illustrated on a display screen showing a map of the San Francisco Bay Area. An operator selectively positions the browsing tool 10 on the display screen using a cursor control device to select any area on the map to view in detail. The system can be implemented such that when the browsing tool 10 is moved near the edge of the display screen, the contents of the display screen "scrolls" over to reveal additional map information not previously

visible.

[0042] As depicted in Figure 3a, the information within the browsing tool's viewing lens 15 area is not enhanced while the browsing tool 10 is moved across the display screen. The information within the browsing tool's viewing lens 15 area is not enhanced so an operator can easily position the browsing tool 10 in order to choose an area to view in detail. The nonenhanced viewing area 15 therefore acts like a "spotting scope" on a telescope. The operator places the area that he wishes to view in detail within the magnifying reticle 13 within the viewing area 15. After the browsing tool 10 remains stationary for a predetermined amount of time, the area within the magnifying reticle 13 becomes enhanced. Alternatively, the toggle switch 19 can be toggled to place the browsing tool 10 in a permanent magnification mode such that the contents in viewing area 15 is always enhanced.

[0043] In Figure 3b, an operator positioned the browsing tool 10 onto the city of San Francisco. By ceasing to move the browsing tool for a predetermined period of time, the contents in viewing area 15 becomes enhanced. Figure 3c illustrates the browsing tool on San Francisco after the browsing tool 10 has remained stationary for a predetermined time period.

[0044] Referring to Figure 3c, the viewing area 15 of the browsing tool 10 shows a small section of downtown San Francisco in enhanced form. If the enhanced area is the approximate area the operator would like to look at in detail, the operator can indicate that the entire screen should be used to show the enhanced view. Figure 3d illustrates the screen appearance after the operator has elected to use the entire screen to view the enhanced view of San Francisco.

[0045] Referring to Figure 3d, the operator can now move the browsing tool 10 around the screen to select an area within downtown San Francisco to view in even further detail. Again, after the operator ceases moving the browsing tool 10 for a predetermined amount of time, the browsing tool 10 enhances the area within the viewing lens 15. Referring to Figure 3e, the area around Market Street and Post Street is enhanced such that all the street names become visible. It will be apparent to one skilled in the art that additional enhancement levels can be displayed, as required by the Application. For example, particular buildings and addresses (e.g. 595 Market St.), or alternatively, the names of certain businesses or offices (e.g., BST&Z law offices), could be displayed.

Hierarchical Browsing Mode

[0046] One method of organizing information stored in a computer database is to arrange the information into a hierarchical format. In a hierarchical format, the information is first broken into groups such that each member of the group has a common characteristic. The groups are further subdivided into subgroups where

each member of the subgroup has another common characteristic. The subgroups are again further subdivided, and so on.

[0047] For example, most computer file systems are implemented using a hierarchical file structure. A hierarchical file system starts with a root directory. The root directory contains individual data files and several sub-directories. Each sub-directory stores additional data files and sub-sub-directories, and so on.

[0048] The browsing tool of the present invention can be placed in a hierarchical browsing mode in order to browse through databases organized in a hierarchical format. When the browsing tool is placed in the hierarchical browsing mode, the display screen initially shows the information from a first hierarchical level. An operator selectively positions the browsing tool on the display of the first hierarchical level of information to choose an area to view in detail. When the operator ceases moving the browsing tool across the screen, the viewing area 15 is modified to display the next lower hierarchical level of information. If the operator is interested in the next lower hierarchical level information displayed in the viewing lens, the operator can request a full screen view of the next lower hierarchical level. The browsing tool thus allows the operator to "look-ahead" at the next hierarchical level of information before moving to it. Several examples are given below to show how the browsing tool is used to view hierarchical information.

[0049] Figure 4a illustrates the top hierarchical level of a written outline. Each numbered item in the written outline has several sub-items which are stored in the next hierarchical level of the outline database. To view the outline sub-items for a particular outline item, an operator simply positions the browsing tool on top of the outline item. For example, if an operator desires to see the sub-items under the third outline item "body", the browsing tool is simply positioned over that outline item. When the operator ceases moving the browsing tool 10, the outline sub-items in the next hierarchical level of the outline database are displayed. Figure 4b illustrates how the viewing area 15 of the browsing tool appears when the browsing tool 10 has been positioned over the third outline item "body". Note that the viewing area 15 in of the browsing tool 10 in Figure 4b is rectangular. The viewing area 15 can be any shape which best suits the particular application.

[0050] Referring now to Figure 5a, a small state diagram is illustrated. Each of the individual states (A, B, C, D, and E) in the state diagram have sub-states. Therefore the state diagram of Figure 5a represents only the top-level of a hierarchical state diagram. The sub-states for each of the individual states (A, B, C, D, and E) are stored in a lower hierarchical level. To view the sub-states of a particular state, an operator positions the browsing tool 10 over the particular state. Figure 5b illustrates how the viewing area 15 of the browsing tool appears when the browsing tool 10 has been positioned over state C of Figure 5a to reveal the substates (C1,

C2, C3, and C4).

[0051] Figure 6a illustrates a corporate department organization chart. The corporate organization chart illustrates the command and control relationships between various corporate departments. Within each corporate department illustrated in Figure 6a there is an internal staff organization. The internal staff organization chart stored is in a lower hierarchical level. To view the staff organization chart for a particular department, an operator positions the browsing tool 10 over the box for the corporate department. For example, to see the staff organization of the Manufacturing department, an operator simply positions the browsing tool 10 over the box marked "Manufacturing". Figure 6b illustrates how the viewing area 15 of the browsing tool 10 appears after the browsing tool 10 has been positioned over the Manufacturing department box.

Data Filtering Mode

[0052] Computer databases often contain such a large amount of information that the amount of information can overwhelm an operator. For example, if a city street map, a city sewer line map, and a map of all the public transportation routes available in the city are displayed simultaneously on a screen display, the display will appear cluttered and difficult to read.

[0053] To simplify a database with a large amount of information, the information can be divided into several "layers". In the example of the previous paragraph, the information could be divided into a city street data layer, a city sewer line data layer, and a public transportation route data layer. When displaying such data on a screen display, only one data layer should be displayed at a time so the screen does not become cluttered.

[0054] In such "layered" databases the browsing tool of the present invention can be used to combine the data layers without cluttering the screen. For example the browsing tool of the present invention can be used as a "filter" which only allows certain data through or allows different information through. An example of this technique is presented in Figure 7.

[0055] Referring to Figure 7, a street map of San Francisco's Fisherman's Wharf district is displayed on a graphics screen display. An operator viewing the street map can pick a destination. After the operator has chosen a destination, the operator positions the viewing lens 15 of the browsing tool 10 onto the destination to reveal the public transportation routes which service the chosen destination. Figure 7 illustrates a browsing tool 10 with the viewing lens 15 placed on and Francisco streets. The browsing tool 10 displays the 32 bus, 15 bus and 42 bus routes within the viewing lens 15. In the data filter mode, the magnifying reticle 13 is not used.

[0056] Figures 8a and 8b illustrate a second example of the browsing tool used as a database filter. Figure 8a illustrates backbone of a telephone network system. The telephone network system backbone of Figure 8a

is comprised of central switching offices 71 and trunk lines 75. The browsing tool 10 can be set to use filtering rule which requests all smaller lines and switching stations to be illustrated. When an operator positions the browsing tool 10 over the telephone network system as illustrated in Figure 8b, the smaller switching substations 79 and connection lines 77 are revealed in the viewing area 15. Note that the central switching offices 71 and trunk lines 75 are not enlarged, since the browsing tool is being used to filter through additional information and not to enhance the information.

Claims

1. An apparatus for browsing through data in a database, of a computer system, said database containing a plurality of data, said apparatus containing:

a graphic display system;
display means (27) for displaying a graphic representation of said data in said database on said graphic display system;
rendering means (20) for rendering a moveable browsing tool (10) on said graphic display system over said graphical representation of said data, said moveable browsing tool (10) having a viewing area (15) for viewing said graphic representation of said data, said viewing area (15) having a magnification area (13) disposed in said viewing area (15) to selectively target a portion of said graphic representation of said data contained in said viewing area (15);
positioning means (21, 25) for an operator to position said moveable browsing tool (10) on the graphic display system; and
enhancement means (20) for enhancing said graphic representation of said data within said magnification area (13) of the moveable browsing tool (10) immediately after said operator ceases positioning said moveable browsing tool (10) for a predetermined amount of time, said enhancement means (20) rendering an enhanced graphic representation of the data within the viewing area (15).

2. The apparatus for browsing as claimed in claim 1 wherein said positioning means (21, 25) comprises a cursor (21) and a cursor control device (25).

3. The apparatus for browsing as claimed in claim 2 wherein said cursor control device (25) comprises a computer mouse.

4. The apparatus for browsing as claimed in claim 1 wherein said magnification area (13) comprises a magnifying reticle and said enhancement means (20) enhances said graphic representation of the

data within said magnifying reticle such that an enhanced graphic representation of data appears in said viewing area and comprises an enlarged copy of said graphic representation of the data within said magnifying reticle and provides additional information. 5

5. The apparatus for browsing as claimed in claim 4 wherein said moveable browsing tool (10) resembles a magnifying glass. 10

6. The apparatus for browsing as claimed in claim 5 wherein the viewing area (15) of said moveable browsing tool (10) is translucent. 15

7. The apparatus for browsing as claimed in claim 1 wherein said database stores said data in a hierarchical format, said hierarchical format comprising successively deeper hierarchical levels of data, and said enhancement means (20) comprises 20

means for fetching a next deeper hierarchical level of the data in said viewing area; and means for displaying a graphic representation of said next deeper hierarchical level of data in said viewing area. 25

8. The apparatus for browsing as claimed in claim 1 wherein said enhancement means (20) comprises 30

means for setting a data filtering rule, means for applying said data filtering rule to the data in said viewing area to generate a set of filtered data; and 35 means for displaying said a graphic representation of the set of filtered data in said viewing area.

9. The apparatus as claimed in claim 1 wherein said magnification area (13) is adjustable with respect to said viewing area (15), said adjustable magnification area (13) capable of targeting specific areas of said graphic representation of data within said viewing area (15) to be enhanced by said enhancement means (20). 40 45

10. The apparatus as claimed in claim 9 wherein said adjustable magnification area (13) has a proportional size relationship with respect to a degree of enhancement of said targeted areas of said graphic representation of data within said adjustable magnification area (13). 50

11. A method of browsing information stored in a computer database on a computer system with a graphics display screen, said method characterised by the steps of: 55

displaying said information from said computer database on said graphics display screen; rendering a moveable browsing tool having a viewing area with a magnification area disposed therein on said graphics display screen over said information from said computer database;

positioning said moveable browsing tool on said graphics display screen in response to input signals from an operator, said information from said computer database visible in said viewing area allowing said operator to selectively target a portion of said information with said magnification area; and enhancing said information within said magnification area immediately after said operator ceases positioning said moveable browsing tool for a predetermined amount of time and displaying an enhanced image of said information in said viewing area of said moveable browsing tool.

12. The method of browsing information stored in a computer database as claimed in claim 11 wherein said step of positioning said browsing tool on said graphics display screen further comprises:

receiving input signals from a cursor control device; rendering a cursor on said graphics display screen, said cursor positioned on said graphics display screen in response to said input signals from said cursor control device, said cursor used for selecting and positioning said moveable browsing tool on said graphics display screen.

13. The method of browsing information stored in a computer database as claimed in claim 12 wherein said cursor control device comprises a computer mouse.

14. The method of browsing information stored in a computer database as claimed in claim 11 wherein said step of rendering a moveable browsing tool further comprises drawing a magnifying reticle within viewing area of said moveable browsing tool defining said magnification area and wherein said step of enhancing said information within said magnification area further comprises rendering an enlarged image of the information within said magnifying reticle in said viewing area.

15. The method of browsing information stored in a computer database as claimed in claim 11 wherein said database stores said information in a hierarchical format said hierarchical format comprising successively deeper hierarchical levels of data, and

said step of enhancing said information within said viewing area further comprises

fetching a next hierarchical level of the information in said viewing area; and
graphically displaying said next hierarchical level of the information in said viewing area.

16. The method of browsing information stored in a computer database as claimed in claim 11 wherein said step of

enhancing said information within said viewing area further comprises:

setting a data filtering rule for said browsing tool applying said data filtering rule to the information in said viewing area to generate a set of filtered data; and
displaying said set of filtered data in said viewing area.

17. The method of browsing information stored in a computer database as claimed in claim 11 wherein said step of

positioning said moveable browsing tool further comprises adjusting said magnification area to target specific areas of said graphic representation of data within said viewing area to be enhanced by said enhancement means.

18. The method of browsing information stored in a computer database as claimed in claim 17 wherein said step of

adjusting said magnification area further comprises creating a proportional size relationship between a size of said magnification area and a degree of enhancement of said targeted areas of said graphic representation of data within said adjustable magnification area.

19. A computer apparatus, said computer apparatus having a database containing a plurality of data, said apparatus including:

a graphic display system;
display means (27) for displaying a graphic representation of said data from said database on said graphic display system;
rendering means (20) for rendering a moveable browsing tool (10) on said graphic display system over said graphic representation of data, said moveable browsing tool (10) having a viewing area (15) for viewing said graphic representation of said data, said viewing area (15) having a magnification area (13) disposed in said viewing area (15) to selectively target a portion of said graphic representation of said data contained in said viewing area (15);

positioning means (21, 25) for an operator to position said moveable browsing tool (10) on the graphic display system; and

enhancement means (20) for enhancing the graphic representation of the data within the magnification area (13) of the moveable browsing tool (10) immediately after said operator ceases positioning said moveable browsing tool (10) for a predetermined amount of time such that an enhanced graphic representation of the data from the database provides additional information in said viewing area (15).

20. The apparatus as claimed in claim 19 wherein said positioning means (21, 25) comprises a cursor (21) and a cursor control device (25).

21. The apparatus as claimed in claim 20 wherein said cursor control device (25) comprises a computer mouse.

22. The apparatus as claimed in claim 19 wherein said magnification area (13) comprises a magnifying reticle and said enhancement means (20) enhances the graphic representation of said data within said magnifying reticle such that an enhanced graphic representation in said viewing area (15) comprises an enlarged version of said graphic representation of data within said magnifying reticle.

23. The apparatus as claimed in claim 19 wherein said moveable browsing tool (10) resembles a magnifying glass.

24. The apparatus as claimed in claim 19 wherein the viewing area (15) of said moveable browsing tool (10) is translucent.

25. The apparatus as claimed in claim 19 wherein said database stores said data in a hierarchical format, said hierarchical format comprising successively deeper hierarchical levels of data, and said enhancement means (20) comprises

means for fetching a next deeper hierarchical level of the data in said viewing area; and
means for displaying a graphic representation of said next deeper hierarchical level of data in said viewing area.

26. The apparatus as claimed in claim 19 wherein said enhancement means (20) comprises

means for setting a data filtering rule;
means for applying said data filtering rule to the data in said viewing area to generate a set of filtered data; and
means for displaying a graphic representation

of said next filtered level of the data in said viewing area (15).

27. The apparatus as claimed in claim 19 wherein said magnification area (13) is adjustable with respect to said viewing area (15), said adjustable magnification area (13) capable of targeting specific areas of said graphic representation of data within said viewing area (15) to be enhanced by said enhancement means (20).

28. The apparatus as claimed in claim 27 wherein said adjustable magnification area (13) has a proportional size relationship with respect to a degree of enhancement of said targeted areas of said graphic representation of data within said adjustable magnification area (13).

Patentansprüche

1. Vorrichtung zum Durchblättern (browsen) von Daten einer Datenbank eines Computersystems, wobei die Datenbank eine Vielzahl von Daten enthält und wobei die Vorrichtung folgende Merkmale aufweist:

ein graphisches Anzeigesystem;
eine Anzeigeeinrichtung (27) zum Anzeigen einer graphischen Darstellung der Daten der Datenbank auf dem graphischen Anzeigesystem;
Wiedergabemittel (20) zum Wiedergeben eines bewegbaren Durchblätter-Werkzeugs (10) auf dem graphischen Anzeigesystem über der graphischen Darstellung der Daten, wobei das bewegbare Durchblätter-Werkzeug (10) eine Betrachtungsfläche (15) zum Betrachten der graphischen Darstellung der Daten aufweist und wobei die Betrachtungsfläche (15) ein in der Betrachtungsfläche (15) angeordnetes Vergrößerungsgebiet (13) zum selektiven Anzeigen eines in der Betrachtungsfläche (15) enthaltenen Abschnitts der graphischen Darstellung der Daten aufweist;
Positioniermittel (21, 25) für einen Benutzer zum Positionieren des bewegbaren Durchblätter-Werkzeugs (10) auf dem graphischen Anzeigesystem; und
Anreicherungsmittel (20) zum Anreichern der graphischen Darstellung der Daten innerhalb des Vergrößerungsgebiets (13) des bewegbaren Durchblätter-Werkzeugs (10), unmittelbar nachdem der Benutzer das Positionieren des bewegbaren Durchblätter-Werkzeugs (10) für eine vorgegebene Zeitdauer beendet hat, wobei die Anreicherungsmittel (20) eine angereicherte graphische Darstellung der Daten innerhalb der Betrachtungsfläche (15) wiedergeben.

2. Vorrichtung zum Durchblättern nach Anspruch 1, wobei die Positioniermittel (21, 25) einen Cursor (21) und eine Cursorsteeereinrichtung (25) umfassen.

3. Vorrichtung zum Durchblättern nach Anspruch 2, wobei die Cursorsteeereinrichtung (25) eine Computermouse ist.

4. Vorrichtung zum Durchblättern nach Anspruch 1, wobei das Vergrößerungsgebiet (13) einen Vergrößerungsrahmen aufweist und die Anreicherungsmittel (20) die graphische Darstellung der Daten innerhalb des Vergrößerungsrahmens derart anreichern, daß eine angereicherte graphische Darstellung der Daten in der Betrachtungsfläche erscheint und eine vergrößerte Kopie der graphischen Darstellung der Daten innerhalb des Vergrößerungsrahmens aufweist und zusätzliche Informationen zur Verfügung stellt.

5. Vorrichtung zum Durchblättern nach Anspruch 4, wobei das bewegbare Durchblätter-Werkzeug (10) einem Vergrößerungsglas ähnelt.

6. Vorrichtung zum Durchblättern nach Anspruch 5, wobei die Betrachtungsfläche (15) des bewegbaren Durchblätter-Werkzeugs (10) durchsichtig ist.

7. Vorrichtung zum Durchblättern nach Anspruch 1, wobei die Datenbank die Daten in einem hierarchischen Format speichert, wobei das hierarchische Format sukzessiv tiefere hierarchische Ebenen der Daten umfaßt und wobei die Anreicherungsmittel (20) folgende Merkmale aufweisen:

Mittel zum Hereinholen einer nächsttieferen hierarchischen Ebene der Daten in die Betrachtungsfläche; und

Mittel zum Anzeigen einer graphischen Darstellung der nächsttieferen hierarchischen Ebene der Daten in der Betrachtungsfläche.

8. Vorrichtung zum Durchblättern nach Anspruch 1, wobei die Anreicherungsmittel (20) folgende Merkmale aufweisen:

Mittel zum Aufstellen einer Datenfilterregel,
Mittel zum Anwenden dieser Datenfilterregel auf die Daten der Betrachtungsfläche, um einen Satz gefilterter Daten zu erzeugen; und
Mittel zum Anzeigen einer graphischen Darstellung des Satzes von gefilterten Daten in der Betrachtungsfläche.

9. Vorrichtung nach Anspruch 1, wobei das Vergrößerungsgebiet (13) in Bezug auf die Betrachtungsfläche einstellbar ist und wobei das einstellbare Ver-

größerungsgebiet (13) in der Lage ist, spezifische Gebiete der graphischen Darstellung der Daten innerhalb der Betrachtungsfläche (15), die durch die Anreicherungsmittel (20) angereichert werden sollen, anzuzielen.

10. Vorrichtung nach Anspruch 9, wobei das einstellbare Vergrößerungsgebiet (13) eine proportionale Größenbeziehung zu dem Grad der Anreicherung der angezielten Gebiete der graphischen Darstellung der Daten innerhalb des einstellbaren Vergrößerungsgebiets (13) aufweist.

11. Verfahren zum Durchblättern von Informationen, die in einer Computerdatenbank auf einem Computersystem mit einem graphischen Anzeigebildschirm gespeichert sind, wobei das Verfahren gekennzeichnet ist durch folgende Schritte:

Anzeigen der Informationen aus der Computerdatenbank auf dem graphischen Anzeigebildschirm;

Wiedergeben eines bewegbaren Durchblätter-Werkzeugs, das eine Betrachtungsfläche mit einem darin angeordneten Vergrößerungsgebiet aufweist, auf dem graphischen Anzeigebildschirm über den Informationen aus der Computerdatenbank;

Positionieren des bewegbaren Durchblätter-Werkzeugs auf dem graphischen Anzeigebildschirm in Abhängigkeit von Eingabesignalen eines Benutzers, wobei die in der Betrachtungsfläche sichtbaren Informationen aus der Computerdatenbank es dem Benutzer gestatten, selektiv einen Abschnitt der Informationen innerhalb des Vergrößerungsgebiets anzuzielen; und

Anreichern der Informationen innerhalb des Vergrößerungsgebiets, unmittelbar nachdem der Benutzer das Positionieren des bewegbaren Durchblätter-Werkzeugs für eine vorgegebene Zeitdauer beendet hat, und Anzeigen eines angereicherten Abbilds der Informationen in der Betrachtungsfläche des bewegbaren Durchblätter-Werkzeugs.

12. Verfahren zum Durchblättern von in einer Computerdatenbank gespeicherten Informationen nach Anspruch 11, wobei das Positionieren des Durchblätter-Werkzeugs auf dem graphischen Anzeigebildschirm ferner folgende Schritte umfaßt:

Empfangen von Eingabesignalen von einer Cursorsteuereinrichtung;

Wiedergeben eines Cursors auf dem graphischen Anzeigebildschirm, wobei der Cursor auf dem graphischen Anzeigebildschirm in Abhängigkeit zu den Eingabesignalen aus der Cur-

sorsteuereinrichtung positioniert wird und wobei der Cursor zum Auswählen und Positionieren des bewegbaren Durchblätter-Werkzeugs auf dem graphischen Anzeigebildschirm verwendet wird.

13. Verfahren zum Durchblättern von in einer Computerdatenbank gespeicherten Informationen nach Anspruch 12, wobei die Cursorsteuereinrichtung eine Computermouse aufweist.

14. Verfahren zum Durchblättern von in einer Computerdatenbank gespeicherten Informationen nach Anspruch 11, wobei das Wiedergeben eines bewegbaren Durchblätter-Werkzeugs ferner das Zeichnen eines Vergrößerungsrahmens innerhalb der Betrachtungsfläche des bewegbaren Durchblätter-Werkzeugs umfaßt, der das Vergrößerungsgebiet definiert, und wobei das Anreichern der Informationen innerhalb des Vergrößerungsgebiets ferner das Wiedergeben eines vergrößerten Bildes der Informationen innerhalb des Vergrößerungsrahmens in der Betrachtungsfläche umfaßt.

15. Verfahren zum Durchblättern von in einer Computerdatenbank gespeicherten Informationen nach Anspruch 11, wobei die Datenbank die Informationen in einem hierarchischen Format speichert, wobei das hierarchische Format sukzessiv tiefere hierarchische Ebenen von Daten aufweist und wobei das Anreichern der Informationen innerhalb der Betrachtungsfläche ferner folgende Schritte umfaßt:

Hereinholen einer nächsten hierarchischen Ebene der Informationen in die Betrachtungsfläche; und
graphisches Anzeigen der nächsten hierarchischen Ebene der Informationen in der Betrachtungsfläche.

16. Verfahren zum Durchblättern von in einer Computerdatenbank gespeicherten Informationen nach Anspruch 11, wobei das Anreichern der Informationen innerhalb der Betrachtungsfläche ferner folgende Schritte umfaßt:

Aufstellen einer Datenfilterregel für das Durchblätter-Werkzeug,
Anwenden der Datenfilterregel auf die Informationen in der Betrachtungsfläche, um einen Satz gefilterter Daten zu erzeugen; und
Anzeigen des Satzes gefilterter Daten in der Betrachtungsfläche.

17. Verfahren zum Durchblättern von in einer Computerdatenbank gespeicherten Informationen nach Anspruch 11, wobei das Positionieren des bewegbaren Durchblätter-Werkzeugs ferner das Einstel-

len des Vergrößerungsgebiets umfaßt, um auf spezielle Gebiete der graphischen Darstellung der Daten innerhalb der Betrachtungsfläche abzu zielen, die durch die Anreicherungsmittel angereichert werden sollen.

18. Verfahren zum Durchblättern von in einer Computerdatabank gespeicherten Informationen nach Anspruch 17, wobei das Einstellen des Vergrößerungsgebiets ferner das Erzeugen einer proportionalen Größenbeziehung zwischen einer Größe des Vergrößerungsgebiets und einem Grad der Anreicherung der angezielten Flächen der graphischen Darstellung der Daten innerhalb des einstellbaren Vergrößerungsgebiets umfaßt.
19. Computereinrichtung mit einer Datenbank, die eine Vielzahl von Daten enthält, wobei die Einrichtung folgende Merkmale aufweist:
- ein graphisches Anzeigesystem;
 - eine Anzeigeeinrichtung (27) zum Anzeigen einer graphischen Darstellung der Daten aus der Datenbank auf dem graphischen Anzeigesystem;
 - Wiedergabemittel (20) zum Wiedergeben eines bewegbaren Durchblätter-Werkzeugs (10) auf dem graphischen Anzeigesystem über der graphischen Darstellung von Daten, wobei das bewegbare Durchblätter-Werkzeug (10) eine Betrachtungsfläche (15) zum Betrachten der graphischen Darstellung der Daten aufweist und wobei die Betrachtungsfläche (15) ein innerhalb der Betrachtungsfläche (15) angeordnetes Vergrößerungsgebiet (13) zum selektiven Anzielen eines in der Betrachtungsfläche (15) enthaltenen Abschnitts der graphischen Darstellung der Daten aufweist;
 - Positionièrmittel (21, 25) für einen Benutzer, um das bewegbare Durchblätter-Werkzeugs (10) auf dem graphischen Anzeigesystem zu positionieren; und
 - Anreicherungsmittel (20) zum Anreichern der graphischen Darstellung der Daten innerhalb des Vergrößerungsgebiets (13) des bewegbaren Durchblätter-Werkzeugs (10), unmittelbar nachdem der Benutzer das Positionieren des bewegbaren Durchblätter-Werkzeugs (10) für eine vorgegebene Zeitdauer beendet hat, so daß eine angereicherte graphische Darstellung der Daten aus der Datenbank zusätzliche Informationen in der Betrachtungsfläche (15) zur Verfügung stellt.
20. Einrichtung nach Anspruch 19, wobei die Positionièrmittel (21, 25) einen Cursor (21) und eine Cursorsteuereinrichtung (25) umfassen.

21. Einrichtung nach Anspruch 20, wobei die Cursorsteuereinrichtung (25) eine Computermouse ist.
22. Einrichtung nach Anspruch 19, wobei das Vergrößerungsgebiet (13) einen Vergrößerungsrahmen aufweist und die Anreicherungsmittel (20) die graphische Darstellung der Daten innerhalb des Vergrößerungsrahmens derart anreichern, daß eine angereicherte graphische Darstellung in der Betrachtungsfläche (15) eine vergrößerte Version der graphischen Darstellung von Daten innerhalb des Vergrößerungsrahmens aufweist.
23. Einrichtung nach Anspruch 19, wobei das bewegbare Durchblätter-Werkzeug (10) einem Vergrößerungsglas ähnelt.
24. Einrichtung nach Anspruch 19, wobei die Betrachtungsfläche (15) des bewegbaren Durchblätter-Werkzeugs (10) durchsichtig ist.
25. Einrichtung nach Anspruch 19, wobei die Datenbank die Daten in einem hierarchischen Format speichert, wobei das hierarchische Format sukzessiv tiefere hierarchische Ebenen der Daten aufweist, und wobei die Anreicherungsmittel (20) folgende Merkmale aufweisen:
- Mittel zum Hereinholen einer nächsttieferen hierarchischen Ebene der Daten in die Betrachtungsfläche; und
 - Mittel zum Anzeigen einer graphischen Darstellung der nächsttieferen hierarchischen Ebene von Daten in der Betrachtungsfläche.
26. Einrichtung nach Anspruch 19, wobei die Anreicherungsmittel (20) folgende Merkmale aufweisen:
- Mittel zum Aufstellen einer Datenfilterregel;
 - Mittel zum Anwenden der Datenfilterregel auf die Daten in der Betrachtungsfläche, um einen Satz gefilterter Daten zu erzeugen; und
 - Mittel zum Anzeigen einer graphischen Darstellung der nächsten gefilterten Ebene der Daten in der Betrachtungsfläche (15).
27. Einrichtung nach Anspruch 19, wobei das Vergrößerungsgebiet (13) in Bezug auf die Betrachtungsfläche (15) einstellbar ist und wobei das einstellbare Vergrößerungsgebiet (13) in der Lage ist, spezifische Gebiete der graphischen Darstellung der Daten innerhalb der Betrachtungsfläche (15), die durch die Anreicherungsmittel (20) angereichert werden sollen, anzuzielen.
28. Einrichtung nach Anspruch 27, wobei das einstellbare Vergrößerungsgebiet (13) eine proportionale Größenbeziehung zu dem Grad der Anreicherung

der angezielten Gebiete der graphischen Darstellung von Daten innerhalb des einstellbaren Vergrößerungsgebiets (13) aufweist.

Revendications

1. Dispositif pour feuilleter des données dans une base de donnée d'un système informatique, ladite base de données contenant une pluralité de données, ledit dispositif contenant :
 - ♦ un système d'affichage graphique ;
 - ♦ un moyen d'affichage (27) pour afficher une représentation graphique desdites données présentes dans ladite base de données sur ledit système d'affichage graphique ;
 - ♦ un moyen de restitution (20) pour restituer un outil mobile pour feuilleter (10) sur ledit système d'affichage graphique au-dessus de ladite représentation graphique desdites données, ledit outil mobile pour feuilleter (10) ayant une zone de visualisation (15) pour visualiser ladite représentation graphique desdites données, ladite zone de visualisation (15) possédant une zone de grossissement (13) disposée dans ladite zone de visualisation (15) pour cibler de manière sélective une partie de ladite représentation graphique desdites données contenues dans ladite zone de visualisation (15) ;
 - ♦ un moyen de positionnement (21, 25) pour qu'un opérateur puisse positionner ledit outil mobile pour feuilleter (10) sur le système d'affichage graphique ; et
 - ♦ un moyen d'augmentation (20) pour augmenter ladite représentation graphique desdites données présentes à l'intérieur de ladite zone de grossissement (13) de l'outil mobile pour feuilleter (10) immédiatement après que l'opérateur cesse de positionner ledit outil mobile pour feuilleter (10) pendant une période prédéterminée, ledit moyen d'augmentation (20) restituant une représentation graphique augmentée des données situées à l'intérieur de la zone de visualisation (15).
2. Dispositif pour feuilleter tel que revendiqué dans la revendication 1 dans lequel le moyen de positionnement (21, 25) comprend un curseur (21) et un dispositif de commande de curseur (25).
3. Dispositif pour feuilleter tel que revendiqué dans la revendication 2 dans lequel ledit dispositif de commande de curseur (25) comprend une souris informatique.
4. Dispositif pour feuilleter tel que revendiqué dans la revendication 1 dans lequel ladite zone de grossissement (13) comprend un réticule grossissant et ledit moyen d'augmentation (20) augmente ladite représentation graphique des données situées à l'intérieur dudit réticule grossissant de telle manière que la représentation graphique augmentée des données apparaisse dans ladite zone de visualisation et comprenne une copie agrandie de ladite représentation graphique des données situées à l'intérieur du réticule grossissant et fournit des informations supplémentaires.
5. Dispositif pour feuilleter tel que revendiqué dans la revendication 4 dans lequel ledit outil mobile pour feuilleter (10) ressemble à un verre grossissant.
6. Dispositif pour feuilleter tel que revendiqué dans la revendication 5 dans lequel la zone de visualisation (15) dudit outil mobile pour feuilleter (10) est translucide.
7. Dispositif pour feuilleter tel que revendiqué dans la revendication 1 dans lequel ladite base de données stocke lesdites informations selon un format hiérarchique, ledit format hiérarchique comprenant des niveaux hiérarchiques de données successivement plus profonds, et ledit moyen d'augmentation (20) comprend :
 - ♦ un moyen pour aller chercher les données de niveau hiérarchique plus profond suivant dans la zone de visualisation ;
 - ♦ un moyen pour afficher une représentation graphique des données dudit niveau hiérarchique plus profond suivant dans ladite zone de visualisation.
8. Dispositif pour feuilleter tel que revendiqué dans la revendication 1 dans lequel le moyen d'augmentation (20) comprend
 - ♦ un moyen pour déterminer une règle de filtrage des données,
 - ♦ un moyen pour appliquer ladite règle de filtrage des données aux données présentes dans la zone de visualisation pour engendrer un jeu de données filtrées ;
 - ♦ un moyen pour afficher ladite représentation graphique du jeu de données filtrées dans ladite zone de visualisation.
9. Dispositif tel que revendiqué dans la revendication 1 dans lequel la zone de grossissement (13) est réglable par rapport à ladite zone de visualisation (15), ladite zone de grossissement réglable (13) étant apte à cibler des zones spécifiques de ladite représentation graphique des données à l'intérieur de la zone de visualisation (15) qui doivent être augmentées par ledit moyen d'augmentation (20).

10. Dispositif tel que revendiqué dans la revendication 9 dans lequel ladite zone de grossissement réglable (13) possède une relation de taille proportionnelle par rapport à un degré d'augmentation desdites zones ciblées de ladite représentation graphique des données à l'intérieur de ladite zone de grossissement réglable (13). 5
11. Procédé pour feuilleter des informations stockées dans une base de données informatiques sur un système informatique muni d'un écran d'affichage graphique, ledit procédé étant caractérisé par les étapes consistant à : 10
- ♦ afficher lesdites informations issues de ladite base de données sur ledit écran d'affichage graphique ; 15
 - ♦ restituer un outil mobile pour feuilleter ayant une zone de visualisation dans laquelle une zone de grossissement est disposée sur l'écran d'affichage graphique au-dessus desdites informations issues de ladite base de données informatiques ; 20
 - ♦ positionner ledit outil mobile pour feuilleter sur ledit écran d'affichage graphique en réponse à des signaux d'entrée fournis par un opérateur, lesdites informations issues de ladite base de données informatiques visibles dans ladite zone de visualisation permettant au dit opérateur de cibler de manière sélective une partie desdites informations avec ladite zone de grossissement ; et 25
 - ♦ augmenter lesdites informations à l'intérieur de ladite zone de grossissement immédiatement après que ledit opérateur arrête de positionner ledit outil mobile pour feuilleter pendant une durée prédéterminée et afficher une image augmentée desdites informations dans ladite zone de visualisation dudit outil mobile pour feuilleter. 30
12. Procédé pour feuilleter des informations stockées dans une base de données informatiques tel que revendiqué dans la revendication 11 dans lequel ladite étape pour positionner ledit outil pour feuilleter sur ledit écran d'affichage graphique comprend en outre : 35
- ♦ une réception de signaux d'entrée issus d'un dispositif de commande de curseur ; 40
 - ♦ une restitution d'un curseur sur ledit écran d'affichage graphique, ledit curseur étant positionné sur ledit écran d'affichage graphique en réponse aux dits signaux d'entrée issus dudit dispositif de commande de curseur, ledit curseur étant utilisé pour sélectionner et pour positionner ledit outil mobile pour feuilleter au-dessus dudit écran d'affichage graphique. 45
13. Procédé pour feuilleter des informations stockées dans une base de données informatiques tel que revendiqué dans la revendication 12, dans lequel ledit dispositif de commande de curseur comprend une souris informatique. 50
14. Procédé pour feuilleter des informations stockées dans une base de données informatiques tel que revendiqué dans la revendication 11 dans lequel ladite étape de restitution d'un outil mobile pour feuilleter comprend en outre une étape de dessin d'un réticule grossissant à l'intérieur de la zone de visualisation dudit outil mobile pour feuilleter définissant ladite zone de grossissement et dans lequel ladite étape pour augmenter lesdites informations situées à l'intérieur de la zone de grossissement comprend en outre une restitution d'une image augmentée des informations situées à l'intérieur dudit réticule grossissant dans ladite zone de visualisation. 55
15. Procédé pour feuilleter des informations stockées dans une base de données informatiques tel que revendiqué dans la revendication 11 dans lequel ladite base de données stocke lesdites informations selon un format hiérarchique, ledit format hiérarchique comprenant des niveaux de données de hiérarchie successivement plus profonde, et ladite étape pour augmenter lesdites informations à l'intérieur de ladite zone de visualisation comprend en outre les étapes pour : 60
- ♦ aller chercher les informations d'un niveau hiérarchique suivant dans ladite zone de visualisation ; et
 - ♦ afficher de manière graphique les informations dudit niveau hiérarchique suivant dans la zone de visualisation. 65
16. Procédé pour feuilleter des informations stockées dans une base de données informatiques tel que revendiqué dans la revendication 11, dans lequel ladite étape pour augmenter lesdites informations situées à l'intérieur de ladite zone de visualisation comprend en outre : 70
- ♦ une détermination d'une règle de filtrage des données pour ledit outil pour feuilleter
 - ♦ une application de ladite règle de filtrage des données aux informations dans ladite zone de visualisation pour engendrer un jeu de données filtrées ; et
 - ♦ un affichage dudit jeu de données filtrées dans ladite zone de visualisation. 75
17. Procédé pour feuilleter des informations stockées dans une base de données informatiques tel que revendiqué dans la revendication 11, dans lequel 80

ladite étape pour

- ♦ positionner ledit outil mobile pour feuilleter comprend en outre un réglage de ladite zone de grossissement pour cibler des zones spécifiques de ladite représentation graphique des données à l'intérieur de ladite zone de visualisation, lesquelles zones doivent être augmentées par ledit moyen d'augmentation.
18. Procédé pour feuilleter des informations stockées dans une base de données informatiques tel que revendiqué dans la revendication 17, dans lequel ladite étape pour
- ♦ régler ladite zone de grossissement comprend en outre une création d'une relation de taille proportionnelle entre une taille d'une zone de grossissement et un degré d'augmentation desdites zones ciblées de ladite représentation graphique des données à l'intérieur de ladite zone de grossissement réglable.
19. Dispositif informatique, ledit dispositif informatique ayant une base de données contenant une pluralité de données, ledit dispositif incluant :
- ♦ un système d'affichage graphique ;
 - ♦ un moyen d'affichage (27) pour afficher une représentation graphique desdites données issues de ladite base de données sur ledit système d'affichage graphique ;
 - ♦ un moyen de restitution (20) pour restituer un outil mobile pour feuilleter (10) sur ledit système d'affichage graphique au-dessus de ladite représentation graphique des données, ledit outil mobile pour feuilleter (10) possédant une zone de visualisation (15) pour visualiser ladite représentation graphique desdites données, ladite zone de visualisation (15) possédant une zone de grossissement (13) disposée dans ladite zone de visualisation (15) pour cibler de manière sélective une partie de ladite représentation graphique desdites données contenues dans ladite zone de visualisation (15) ; et
 - ♦ un moyen de positionnement (21, 25) pour qu'un opérateur puisse positionner ledit outil mobile pour feuilleter (10) sur le système d'affichage graphique ; et
 - ♦ un moyen d'augmentation (20) pour augmenter la représentation graphique des données à l'intérieur de la zone de grossissement (13) de l'outil mobile pour feuilleter (10) immédiatement après que ledit opérateur cesse de positionner ledit outil mobile pour feuilleter (10) pendant une durée prédéterminée, de telle manière qu'une représentation graphique augmentée des données issues de la base de don-

nées fournisse des informations supplémentaires dans la zone de visualisation (15).

20. Dispositif tel que revendiqué dans la revendication 19, dans lequel ledit moyen de positionnement (21, 25) comprend un curseur (21) et un dispositif de commande de curseur (25).
21. Dispositif tel que revendiqué dans la revendication 20, dans lequel ledit dispositif de commande de curseur (25) comprend une souris informatique.
22. Dispositif tel que revendiqué dans la revendication 19, dans lequel ladite zone de grossissement (13) comprend un réticule grossissant et ledit moyen d'augmentation (20) augmente la représentation graphique desdites données à l'intérieur dudit réticule grossissant de telle manière qu'une représentation graphique augmentée dans la zone de visualisation (15) comprenne une version agrandie de ladite représentation graphique des données présentes à l'intérieur dudit réticule grossissant.
23. Dispositif tel que revendiqué dans la revendication 19, dans lequel ledit outil mobile pour feuilleter (10) ressemble à un verre grossissant.
24. Dispositif tel que revendiqué dans la revendication 19, dans lequel la zone de visualisation (15) dudit outil mobile pour feuilleter (10) est translucide.
25. Dispositif tel que revendiqué dans la revendication 19, dans lequel ladite base de données stocke lesdites données selon un format hiérarchique, ledit format hiérarchique comprenant des niveaux de données hiérarchiques successivement plus profonds, et ledit moyen d'augmentation (20) comprend
- ♦ un moyen pour aller chercher un niveau de données hiérarchique plus profond suivant dans ladite zone de visualisation ; et
 - ♦ un moyen pour afficher une représentation graphique dudit niveau de données hiérarchique plus profond suivant dans ladite zone de visualisation.
26. Dispositif tel que revendiqué dans la revendication 19 dans lequel ledit moyen d'augmentation (20) comprend
- ♦ un moyen pour déterminer une règle de filtrage des données ;
 - ♦ un moyen pour appliquer ladite règle de filtrage des données aux données présentes dans ladite zone de visualisation pour engendrer un jeu de données filtrées ; et
 - ♦ un moyen pour afficher une représentation gra-

phique dudit niveau de données filtré suivant dans ladite zone de visualisation (15).

27. Dispositif tel que revendiqué dans la revendication 19, dans lequel ladite zone de grossissement (13) est réglable par rapport à la zone de visualisation (15), ladite zone de grossissement réglable (13) étant apte à cibler des zones spécifiques de ladite représentation graphique des données à l'intérieur de ladite zone de visualisation (15) qui doivent être augmentées par ledit moyen d'augmentation (20).
28. Dispositif tel que revendiqué dans la revendication 27, dans lequel ladite zone de grossissement réglable (13) a une relation de taille proportionnelle par rapport à un degré d'augmentation desdites zones ciblées de ladite représentation graphique des données à l'intérieur de ladite zone de grossissement réglable (13).

20

25

30

35

40

45

50

55




Figure 1

FIG 2A




FIG 2B




FIG 2C




FIG 2D




FIG 3A




FIG 3B




FIG 3C




FIG 3D




FIG 3E




FIG 4A

- 1 INTRODUCTION
- 2 THESIS
- 3 BODY
- 4 SUMMARY
- 5 CONCLUSION
- 6 BIBLIOGRAPHY

FIG 4B




FIG 5A




FIG 5B




FIG 6A




FIG 6B




FIG 7




FIG 8A




FIG 8B

